- **LOCATION** - Where will this tent be used?
- **LONGEVITY** - Is this a long-term or short-term application?
- **WEATHER** - Do you need ballasts or stakes?

BEST SELLERS ★ - 10' IS OUR MOST POPULAR SIZE		FRAME / CANOPY WARRANTY	CONSTRUCTION		FRAME WEIGHT	TOTAL SIZE	WIND RATING	STOCK CANOPY COLORS
STANDARD	PG #							
10' ★	98	1 year / 1 year	**STEEL 1.125"W LEGS**	• 1 mm powder-coated steel • plastic push button for height adjustments • ABS nylon joints	36 lbs.	118.5"W x 127.5"-140"H x 118.5"D	5 WIND RATING	
DELUXE								
6'	104		**STEEL 1.25"W LEGS**		38.5 lbs.	72"W x 109"-121.5"H x 72"D	5 WIND RATING	
8' ★	104	2 years / 1 year		• 1 mm powder-coated steel • lever for height adjustments • ABS glass-filled nylon joints	44.5 lbs.	96"W x 117.5"-130"H x 96"D		
10'	99				48 lbs.	118.5"W x 127"-139.5"H x 118.5"D		
NEW! 10' Summit	107				49.6 lbs.	118.5"W x 151.75"-164.25"H x 118.5"D		dye sublimation only
PREMIUM								
10' ★	100		**ALUMINUM 1.75" DIA. HEXAGON LEGS**	• 0.8 mm anodized aluminum • lever for height adjustments • ABS glass-filled nylon joints	36.5 lbs.	118"W x 126.75"-139.25"H x 118"D	5 WIND RATING	
15'	105	5 years / 1 year			46 lbs.	175.5"W x 126.75"-139.25"H x 118.25"D		
20' ★	105				62.75 lbs.	234.5"W x 126.75"-139.25"H x 118.25"D		white only
PREMIUM GABLE								
10'	106		**ALUMINUM 1.75" DIA. HEXAGON LEGS**	• 0.8 mm anodized aluminum • lever for height adjustments • ABS glass-filled nylon joints	37.4 lbs.	118"W x 119.25"-131.5"H x 118"D	5 WIND RATING	
15'	106	5 years / 1 year			47.2 lbs.	175.5"W x 119.25"-131.75"H x 118.25"D		
20'	106				64 lbs.	234.5"W x 119.25"-131.75"H x 118.25"D		white only
ELITE								
10'	101	Lifetime / 1 year	**ALUMINUM 2.125" DIA. HEXAGON LEGS**	• 1.55 mm anodized aluminum • lever for height adjustments • machined aluminum joints	63 lbs.	118"W x 116.75"-128.25"H x 118"D	5 WIND RATING	
COMPACT								
10'	102	1 year / 1 year	**ALUMINUM 1.25"W LEGS**	• 1 mm anodized aluminum • lever for height adjustments • ABS glass-filled nylon joints	38.4 lbs.	118.5"W x 121"-133.5"H x 118.5"D	5 WIND RATING	

3 WIND RATING Beaufort Wind Rating: Select products have been rated on the Beaufort Wind Scale. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on showdowndisplays.com for additional details.
Disclaimer: Wind rating conducted in a controlled environment. Outdoor products should be taken down if bad weather is likely. Wind gusts and heavy rain could reduce the wind resistance of these products.

TENT CANOPY

Constructed of durable 400 denier polyester.

1 YEAR PRODUCT WARRANTY Canopies covered by a 1-year warranty.

FR CERTIFIED Flame retardant certified for exhibit hall use.

10' STOCK CANOPY COLORS

WHITE
LEMON PMS 109
BLAZE ORANGE PMS 804
CHERRY PMS 1795
EMERALD PMS 347
COBALT PMS 2728
NAVY BLUE PMS 2767
BLACK

Stock throw colors now closely align with stock tent colors; excludes Blaze Orange. See page 7.

PMS colors are for reference only and may vary slightly from actual color.

TWO PRINT METHODS

Peak
Valance

Full-Color Imprint
Imprinted on peak and valance locations of your choice.
One imprint per location (peak or valance).
Only one setup fee per tent.

Dye Sublimation
Covers the entire canopy with vibrant, full-color artwork.*
One piece per side for a continuous image from peak to valance with no seams.
Not available on vented canopies

Visit showdowndisplays.com for more information.
ASI: 87188   PPAI: 254687   SAGE: 67383   UPIC: SHOWDOWN

Showdown DISPLAYS

WHEN CHOOSING A SAIL SIGN **HAVE YOU CONSIDERED...**

- **LOCATION** - Will you be using this product indoors or out?
- **LONGEVITY** - How long will your flag be displayed?
- **MESSAGE** - Do you need a single-sided or double-sided flag?
- **WEATHER** - Are there extreme weather conditions to consider?

Height includes pole and base
See templates on website for size of sail sign graphic

20ft | 15ft | 10ft | 5ft

Mini | Flutter | Blade | Teardrop | Razor | Rectangle | Sabre | Giant Outdoor

Pole pocket is made of the same fabric as the flag.

Pole pocket is made of high tensile strength elastic polyester binding.

10.5' Razor

Plastic-capped ends provide a clean finish.

9' Razor

Rubber-tipped ends on the scissor base prevent scratching.

9' Razor

NEW & IMPROVED
DOUBLE-SIDED GRAPHIC

GOOD
Value Sail Signs
- Double-layer reinforcement at the end of the pole pocket for additional strength
- Vibrant dye sublimation on super poly knit fabric
- Value hardware
- Value spike or Value cross base

BETTER
Streamline Sail Signs
- Double-layer reinforcement at the end of the pole pocket for additional strength
- Vibrant dye sublimation on super poly knit fabricPremium hardware
- Ground spike, scissor base or three-legged base

BEST
Premium Sail Signs
- Double-layer reinforcement at the end of the pole pocket for additional strength
- Vibrant dye sublimation on super poly knit fabric
- Premium hardware
- Ground spike, scissor base or three-legged base
- Reinforced with premium elasticblack pole sleeve

	POLE CONSTRUCTION		FLAG ATTACHMENT		CARRY CASE	WIND RATING	HARDWARE WARRANTY
Value Hardware		Channeled carbon composite overlay construction with low-gloss black paint finish. Double-reinforced carbon fiber pole segment ends.		A loop on the flag attaches to an adjustable hook on the pole.	Sold separately	6 WIND RATING	90 DAY HARDWARE WARRANTY
Premium and Streamline Hardware		Uniform carbon composite overlay construction with high-gloss black paint finish. Polished aluminum collar pole segment ends and ergonomic, rubber-reinforced base grip.		Flag attaches to a fixed hook using a bungee cord.		6 WIND RATING	LIFE HARDWARE WARRANTY

Beaufort Wind Rating:
Select products have been rated on the Beaufort Wind Scale. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on showdowndisplays.com for additional details.
Flag Warranty: Flags used outdoors have a 90-day warranty. Flags used indoors have a 1-year warranty.

Disclaimer:
Wind rating conducted in a controlled environment. Outdoor products should be taken down if bad weather is likely. Wind gusts and heavy rain could reduce the wind resistance of these products.

- **LOCATION** - Will you be using this banner indoors or out?
- **USE** - Will you be hanging it on a wall? How about mounting it on a pole?
- **LONGEVITY** - How long will your banner be displayed?
- **WEATHER** - Are there extreme weather conditions to consider?
- **MESSAGE** - Do you need a single-sided or double-sided banner?

BUILD YOUR OWN CUSTOM SIZES, FINISHING AND QUOTES

BEST SELLERS ★	DURABILITY			WIND RATING	INDOOR USE	OUTDOOR USE
TITAN™ SCRIM VINYL	LIGHT	AVERAGE	HEAVY-DUTY			
10 oz.	X			5 WIND RATING	good	good
13 oz. ★		X		6 WIND RATING	better	better
13 oz. Smooth		X		not for outdoor use	BEST	not for outdoor use
18 oz. Opaque ★			X	6 WIND RATING	better	BEST
9 oz. Mesh ★			X	6 WIND RATING	better	BEST
ECO-FRIENDLY	LIGHT	AVERAGE	HEAVY-DUTY			
9 oz. PVC-Free		X		6 WIND RATING	better	better
FABRIC	LIGHT	AVERAGE	HEAVY-DUTY			
Nylon		X		6 WIND RATING	better	BEST
Polyester Poplin	X			not for outdoor use	BEST	not for outdoor use
Super Poly Knit		X		4 WIND RATING	better	better
Satin	X			not for outdoor use	better	not for outdoor use

3 WIND RATING Beaufort Wind Rating: Select products have been rated on the Beaufort Wind Scale. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on showdowndisplays.com for additional details.

POPULAR FINISHING STYLES
Additional finishing styles available online.

Heat Weld
Single-sided vinyl banners only

HEM & GROMMETS

HEM, ROPE & GROMMETS

3" POLE POCKETS

Sewn
Fabric and double-sided vinyl banners

HEM ONLY

**HEM & GROMMETS**

3" POLE POCKETS

BANNER MATERIAL

SCRIM
Woven threads that provide added strength for a stronger vinyl banner.

SMOOTH
Vinyl without visible scrim texture for higher-quality images.

MESH
A woven vinyl pattern that features small holes so wind can pass through.

FABRIC
Breathable, lightweight cloth.

WHEN CHOOSING A RETRACTOR HAVE YOU CONSIDERED...

- **USE** - Will this product be used on a floor or on a tabletop?
- **FLEXIBILITY** - Will your graphic be permanent, or will you be swapping it out frequently?

GOOD

BEST SELLERS ★ / GOOD	PG #	TABLETOP	24"	31.5"	33.5"	36"	48"	TELESCOPING POLE	CHANGEABLE BANNER	ADJUSTABLE TENSION	2-SIDED OPTION	BANNER MEDIA	RCAT RATING (MIN. RETRACTIONS)	WIND RATING	HARDWARE WARRANTY
Deluxe Mini ★	43	X										Polypropylene Media	-		6 months
Mini Promo ★	43	X										Polypropylene Media	-		6 months
NEW! Economy ★	30	X	X	X	X	X	X					No-Curl Hybrid Media • No-Curl Opaque Fabric • No-Curl Fabric • PVC-Free Silver Backed Media	100		1 year
Ideal ★	28			X	X							Polypropylene Media	25		2 months
Value ★	29			X	X	X						Polypropylene Media • No-Curl Hybrid Media	50		6 months

BETTER

BETTER	PG #	24"	31.5"	33"	33.5"	36"	46.5"	48"	TELESCOPING POLE	CHANGEABLE BANNER	ADJUSTABLE TENSION	2-SIDED OPTION	BANNER MEDIA	RCAT RATING	WIND RATING	HARDWARE WARRANTY
Change Agent	35		X	X		X			✔	✔			No-Curl Opaque Fabric • Dry-Erase Media	300		2 years
Deluxe Pro ★	34				X	X			✔	✔		✔	No-Curl Opaque Fabric • Dry-Erase Media	200		2 years
Economy Plus ★	32		X		X				✔	✔			No-Curl Hybrid Media • No-Curl Opaque Fabric • Dry-Erase Media	150		2 years
Stratus ★	33	X	X		X	X		X	✔	✔			No-Curl Hybrid Media • No-Curl Opaque Fabric • Dry-Erase Media	200		2 years

BEST

BEST	PG #	TABLETOP	16"	31.25"	33"	33.5"	40"	48"	60"	TELESCOPING POLE	CHANGEABLE BANNER	ADJUSTABLE TENSION	2-SIDED OPTION	BANNER MEDIA	RCAT RATING	WIND RATING	HARDWARE WARRANTY
InstaChange	37				X	X	X			✔	✔			No-Curl Opaque Fabric	600		2 years
MagnaLink	39	X	X			X			X	✔	✔	✔		No-Curl Fabric	800		3 years
Spotlight ★	38			X										Flexible Backlit Film	800		3 years
Superb	39					X				✔	✔	✔		No-Curl Hybrid Media	800		Lifetime
XChange	36				X					✔	✔	✔		No-Curl Hybrid Media	800		3 years

SPECIALTY

SPECIALTY	PG #	31.5"	33.25"	4'	5'	6'	8'	TELESCOPING POLE	CHANGEABLE BANNER	ADJUSTABLE TENSION	2-SIDED OPTION	BANNER MEDIA	RCAT RATING	WIND RATING	HARDWARE WARRANTY
A-Frame	41			X	X						✔	No-Curl Opaque Fabric • 13 oz. Scrim Vinyl	100	4 (Wind Rating)	1 year
Element	41		X					✔			✔	13 oz. Scrim Vinyl	150	3 (Wind Rating)	1 year
NEW! Jumbo Wide ★	42				X	X	X					13 oz. Scrim Smooth Vinyl • No-Curl Fabric	100		1 year
Outdoor	40	X						✔				13 oz. Scrim Vinyl	150	4 (Wind Rating)	1 year
Outdoor Trek Lite	40		X								✔	13 oz. Scrim Vinyl	250	4 (Wind Rating)	1 year

Beaufort Wind Rating: Select products have been rated on the Beaufort Wind Scale. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on showdowndisplays.com for additional details.

TOP SELLER

TITAN™ NO-CURL HYBRID MEDIA

Anti-curl properties for a taut banner.

BANNER MEDIA

TITAN™ NO-CURL OPAQUE FABRIC
High-quality fabric that prevents curling. Silver backing makes it opaque.

DRY-ERASE MEDIA
Smooth, glossy surface that can be written or drawn on with a dry-erase marker.

TITAN™ 13 OZ. SCRIM VINYL
Durable vinyl repels water and cleans easily for extended outdoor use.

BACKLIT FILM
Backlit film allows for light to shine through your artwork.

TITAN™ NO-CURL FABRIC
Lightweight, no-glare fabric prevents curling.

TITAN™ 13 OZ. SMOOTH SCRIM VINYL
Smooth vinyl material, ideal for high-quality graphics.

TITAN™ POLYPROPYLENE MEDIA
Tear-resistant matte media for temporary use.

PVC-FREE SILVER BACKED MEDIA
Made from PVC-free media and does not include toxic polymers.

Visit showdowndisplays.com for more information.
ASI: 87188   PPAI: 254687   SAGE: 67383   UPIC: SHOWDOWN

Show down DISPLAYS

- **SIZE** - What size is your table?
- **FABRIC/MEDIA** - What type of material are you looking for?
- **FREQUENCY** - How often will you be using your table throw?
- **MESSAGE** - Do you want a logo printed on the front, or would you like a full-color design that covers the full throw?

28 STOCK THROW COLORS
INTRODUCING 13 NEW STOCK THROW COLORS

★ indicates stock throw colors that closely align with our stock tent canopy colors.

NEW! LEMON PMS 109 ★	NEW! PEACH PMS 162	NEW! FLAMINGO PMS 1767	PURPLE PMS VIOLET	ROYAL BLUE PMS 661	NEW! SHAMROCK PMS 361	WHITE ★
YELLOW PMS 1235	NEW! CHERRY PMS 1795 ★	NEW! HOT PINK PMS 219	NEW! AQUAMARINE PMS 2231	NAVY PMS 2767 ★	HUNTER GREEN PMS 350	GRAY PMS 422
NEW! MANGO PMS 1375	RED PMS 201	NEW! MULBERRY PMS 683	NEW! COBALT PMS 2728 ★	LIME GREEN PMS 375	NEW! HAZELNUT PMS 7575	CHARCOAL PMS 425
ORANGE PMS 1505	BURGUNDY PMS 504	NEW! GRAPE PMS 268	BLUEBERRY PMS 647	NEW! EMERALD PMS 346 ★	BROWN PMS 476	BLACK ★

PMS colors are for reference only and may vary slightly from actual color.

BEST SELLERS ★

RECTANGLE

Product	PG #	4'	6'	8'	12'	16'	TABLE FIT	3-SIDED	4-SIDED	MATERIAL	FINISHED EDGE	FR	WASH OPTIONS	FULL-COLOR IMPRINT	FULL-COLOR FRONT ONLY	FULL-COLOR FULL-BLEED
NEW! Antimicrobial	18	X	X	X			Drape	X	X	Antimicrobial Polyester Knit	Hemmed	✓	Machine			X
Convertible ★	12			X			Drape / Fitted		X	Polyester Poplin	Serged	✓	Machine		X	X
NEW! Economy ★	8	X	X	X	X	X	Drape	X		Polyester Poplin	Serged	✓	Machine		X	X
Enviro	19		X	X			Drape	X	X	Polyester Poplin	Serged	✓	Machine	X		
NEW! Enviro Pro	19		X	X			Drape	X	X	Premium Eco Polyester	Serged	✓	Spot Clean			X
Fitted	21	X	X	X			Fitted		X	Polyester Poplin	Serged	✓	Machine		X	X
LazerLine ★	13		X	X			Drape	X	X	Polyester Poplin	Laser Cut	✓	Machine		X	X
Outdoor Fitted	21		X	X			Fitted		X	400 Denier Polyester	Serged	✓	Machine			X
Premium ★	14		X	X			Drape		X	Two-Way Stretch Fabric	Hemmed	✓	Machine			X
Stain-Resistant	22		X	X			Drape	X	X	Polyester Poplin	Serged	✓	Machine	X		
NEW! Standard ★	10	X	X	X	X	X	Drape		X	Polyester Poplin	Serged	✓	Machine		X	X
Throw Glo	15		X	X			Fitted	X	X	Premium Woven Polyester	Serged	✓	Spot Clean			X
UltraFit Classic ★	16	X	X	X			Snug Fitted		X	Two-Way Stretch Fabric	Hemmed	✓	Machine			X
UltraFit Curve	16	X	X	X			Snug Fitted	X		Two-Way Stretch Fabric	Hemmed	✓	Machine			X
UltraFit Demo	17	X					Snug Fitted		X	Two-Way Stretch Fabric	Hemmed	✓	Machine			X
Value Lite	22		X	X			Drape		X	Polyester Pongee	Serged		Disposable	X (white imprint only)		

ROUND

Product	PG #	31.5" BAR	31.5" CAFE	3'	4'	5'	TABLE FIT	3-SIDED	4-SIDED	MATERIAL	FINISHED EDGE	FR	WASH OPTIONS	FULL-COLOR IMPRINT	FULL-COLOR FRONT ONLY	FULL-COLOR FULL-BLEED
Fitted Round	20	X					Fitted		X	Polyester Poplin	Serged	✓	Machine		X	X
Round	20	X	X	X	X	X	Drape		X	Polyester Poplin	Serged	✓	Machine			X
UltraFit Round	17	X					Snug Fitted		X	Two-Way Stretch Fabric	Hemmed	✓	Machine			X

PARTIAL COVERAGE

Product	PG #	28"	57"	125"	149"	6'	TABLE FIT	COVERAGE	MATERIAL	FINISHED EDGE	FR	WASH OPTIONS	FULL-COLOR IMPRINT	FULL-COLOR FRONT ONLY	FULL-COLOR FULL-BLEED
Accent Runner	25	X	X				Drape	Partial Front, Top & Back	Polyester Satin	Satin Trim	✓	Machine		X	X
Lateral Runner	25			X	X		Drape	Top & Partial Sides	Polyester Poplin	Serged	✓	Machine		X (top only)	X
NEW! LazerLine Runner	24	X	X				Drape	Partial Front, Top & Back	Polyester Poplin	Laser Cut	✓	Machine		X	X
Standard Runner ★	23	X	X				Drape	Partial Front, Top & Back	Polyester Poplin	Serged	✓	Machine		X	X
UltraFit Crossover	17					X	Snug Fitted	Partial 4-Sided	Two-Way Stretch Fabric	Hemmed	✓	Machine			X

NOTE: Flame-retardant certified in compliance with the National Fire Protection Association Standard No. 701.

PRINT OPTIONS

Full-Color Imprint
- Simple to complex graphics (see product pages for details)
- Vector art required; imprinted on front only
- Available in limited stock fabric colors only
- Min. and max. artwork size requirements apply
- Always roll your table throw for storage; do not fold

Full-Color Front Only
- Simple to complex graphics
- Vector art preferred; imprinted on front only
- Available in stock fabric colors only
- Maximum artwork size requirements apply
- Large maximum imprint area for more graphic coverage
- Fold and store in included poly bag

Full-Color Full-Bleed
- Simple, complex and photographic graphics
- Vector and raster art accepted
- Art is dye sublimated on white fabric only
- Full-color artwork can be printed across the entire throw
- No artwork size requirements
- Fold and store in included poly bag

TOP *SELLER*

POLYESTER POPLIN

Lightweight and durable; our most popular fabric choice.

THROW MEDIA

TWO-WAY STRETCH FABRIC
Nearly opaque with a luxurious look and a high-class hemmed finish.

PREMIUM WOVEN POLYESTER
The backlit material allows for a glow effect when used with lights.

POLYESTER PONGEE
Lightweight and designed for limited use.

400 DENIER POLYESTER
The same durable, weather-resistant material we use for our tent canopies.

PREMIUM ECO POLYESTER
100% recycled fabric reveals excellent and vibrant print quality.

ANTIMICROBIAL POLYESTER KNIT
Heavyweight media that inhibits the spread of viruses and other germs.

Visit showdowndisplays.com for more information.
ASI: 87188   PPAI: 254687   SAGE: 67383   UPIC: SHOWDOWN

Showdown DISPLAYS

WHEN CHOOSING SIGNAGE
HAVE YOU CONSIDERED...

- **LOCATION** - Will your sign be used indoors or out?
- **LONGEVITY** - How long will your sign be displayed?
- **FLEXIBILITY** - Will your message be permanent, or will it change frequently?
- **TRANSPORT** - Will your sign be stationary, or will you be transporting it from place to place?

BEST SELLERS ★	PG #	EASY CHANGE GRAPHIC	SINGLE- OR DOUBLE-SIDED		SUBSTRATE	OUTDOOR		WEIGHT
OUTDOOR			SINGLE	DOUBLE		LONG TERM	SHORT TERM	
Arch A-Frame	131	✔		X	Polyester Knit	X		3.6 lbs.
Barricade Cover	137			X	Two-Way Stretch Fabric • Titan™ 18 oz. Opaque Scrim Vinyl	X		1.8-5.4 lbs.
NEW! Coro A-Frame	132			X	4 mm Corrugated Plastic		X	4 lbs.
NEW! Corrugated Plastic Sign ★	132		X	X	4 mm Corrugated Plastic	X		0.5-1.5 lbs.
Deluxe Wood A-Frame	127	✔		X	Chalkboard with Surface Grip Decal		X	18-29.8 lbs.
Economy Wood A-Frame	127	✔		X	Chalkboard with Surface Grip Decal		X	8.5 lbs.
EuroFit Swivel Sign	136	✔		X	Polyester Knit	X		15-17.6 lbs.
FrameWorx Flex	135	✔	X	X	Mesh Fabric		X	27.5 lbs.
Horizontal A-Frame	130	✔		X	Titan™ 13 oz. Scrim Vinyl	X		11-18 lbs.
Magnet Promo Sign	142		X		Magnet Media	X		0.4-1.6 lbs.
Opaque Window Cling	142		X		Window Film	X		0.02-0.45 lb.
Outdoor Flex Sign	135	✔		X	Titan™ 10 oz. Scrim Vinyl	X		27 lbs.
Outdoor Flex Sign with Ballast Base	135	✔		X	Titan™ 10 oz. Scrim Vinyl	X		26 lbs.
Outdoor Surface Tac	143		X		Adhesive Aluminum Foil-Based Media	X		0.4-3.8 lbs.
Parking Pal	134			X	Reflective Media	X		13 lbs.
NEW! Rover Portable Sign Post	134	✔	X	X	Aluminum Composite	X		11.4-18 lbs.
Signicade A-Frame ★	126	✔		X	4 mm Corrugated Plastic	X		20 lbs.
Signicade Deluxe A-Frame ★	126	✔		X	4 mm Corrugated Plastic	X		21 lbs.
Signicade Deluxe Chalkboard A-Frame	126			X	Chalkboard	X		25 lbs.
Simpo Sign II A-Frame	126	✔		X	4 mm Corrugated Plastic	X		10.5 lbs.
Snap A-Frame	129	✔		X	Titan™ Polypropylene Media	X		17.2 lbs.
Storm Mat ★	144		X		Polyester Carpeting with Rubber Backing	X		4-10 lbs.
Sunrise Lawn Sign	133	✔		X	Super Poly Knit Fabric	X		2.3 lbs.
NEW! Sunrise Multisurface Sign	133	✔		X	Super Poly Knit Fabric	X		13.5-14 lbs.
Superstrong Angle Iron A-Frame	130	✔		X	4 mm Corrugated Plastic	X		6.5-13.5 lbs.
Twist-Up Oval A-Frame	131			X	Polyester Knit	X		8.25 lbs.
INDOOR			SINGLE	DOUBLE		LONG TERM	SHORT TERM	
Base-X Sign	137	✔	X	X	Foamcore			7.25-8.25 lbs.
Crystal Edge Display	140	✔	X		Backlit Media			5-13.7 lbs.
Flat Base Sign Display	136	✔		X	4 mm Corrugated Plastic			13.5 lbs.
Floor Decor	145		X		PVC Foam w/PVC Coated Polyester Woven Fabric			1.6-22 lbs.
Floor Hugger Mat	144		X		Nylon Yarn with Rubber Backing			8-16 lbs.
Impress A-Frame	129	✔		X	Polyester Knit			9.4-10.8 lbs.
Indoor Surface Grip	143		X		Adhesive Matte Vinyl with Fabric Backing			0.05-2.4 lbs.
LED Light Box	140	✔	X		Backlit Media			8.5-14 lbs.
LiteWriter	140	✔	X		Backlit Media			6.2 lbs.
NEW! Luxe Glo Sign	141		X		0.060 White Polycarbonate			3-6.6 lbs.
Marketing Mat	145		X		40 mil Vinyl			0.15-0.6 lb.
Standard SEG Glo Wall-Mount Display	139	✔	X		Premium Woven Polyester			3.7-9.3 lbs.
Uptown A-Frame	128	✔		X	Rigid PVC Board			15.5-24.25 lbs.
Uptown Accent A-Frame	128	✔		X	Rigid PVC Board			30.5 lbs.
Value SEG Wall-Mount Display	138	✔	X		Polyester Knit			2.5-5.25 lbs.
Xarisma™ SEG Display	138	✔	X	X	Polyester Knit • Premium Woven Polyester			5.4-12.6 lbs.

Beaufort Wind Rating: Select products have been rated on the Beaufort Wind Scale. See rating icon underneath the product name. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on page 219 for additional details.

WHEN CHOOSING A POP-UP
HAVE YOU CONSIDERED...

- **TRANSPORT** - How will this display be transported?

- **FREQUENCY** - How often will you be setting up and taking down your display?

- **FLEXIBILITY** - Will you be changing out your look and message frequently?

- **ACCESSORIES** - Do you need lights for your display, and will power be available?

	EASE OF SETUP	FRAME WARRANTY	FRAME DETAILS		PANEL INSTALLATION	PANEL MATERIAL	ADD-ON OPTIONS
PG #							SOLD SEPARATELY
Splash 180	★★★	2 years	• high-grade 0.03" aluminum frame • scissor construction • bayonet locking system. • medium-weight nylon connecting hubs		Hook-and-loop fasteners	Polyester Knit Block-Out Fabric	Ultimate LED Light Kits
Verge 182	★★★	2 years	• high-grade 0.038" aluminum SEG frame • scissor construction • bayonet locking system • gloss painted for maximum light reflection • square extrusions for an easy interface to install lights		Pegs on the channel bars press into the frame's hubs	Polyester Knit	Ultimate LED Light Kits
Verge Glo 183	★★★	2 years	• high-grade 0.038" aluminum SEG frame • scissor construction • bayonet locking system • gloss painted for maximum light reflection • square extrusions for an easy interface to install lights		Pegs on the channel bars press into the frame's hubs	Premium Woven Polyester	Ultimate LED Light Kits
GeoMetrix 184	★★★★	1 year	• lightweight 0.03" aluminum • spring-action pop-up frame		Reinforced buttonholes on panels attach to pegs on the frame's hubs	Polyester Double Knit	Ultimate LED Light Kits
Deluxe GeoMetrix 186	★★★	2 years	• high-grade 0.03" aluminum frame • scissor construction • bayonet locking system • medium-weight nylon connecting hubs • rectangular extrusions for stability and shelf strength		Reinforced buttonholes on panels attach to pegs on the frame's hubs	Polyester Double Knit	Ultimate LED Light Kits Internal Shelf Stabilizer Feet Connector Shelf End Panel Graphic Panels
Deluxe GeoMetrix Connector 188	★★	2 years	• high-grade 0.03" aluminum frame • scissor construction • bayonet locking system • medium-weight nylon connecting hubs • rectangular extrusions for stability and shelf strength		Reinforced buttonholes on panels attach to pegs on the frame's hubs	Polyester Double Knit	Ultimate LED Light Kits Internal Shelf Stabilizer Feet Connector Shelf
Echo 191	★★	1 year	• lightweight 0.03" aluminum • spring-action pop-up frame		Individual locking channel bars for magnet-to-steel panel registration	Fabric Panels Mural Panels	Ultimate LED Light Kits (included with select kits)
Show 'N Rise 192	★★★	2 years	• high-grade 0.03" aluminum frame • scissor construction • bayonet locking system • medium-weight nylon connecting hubs • rectangular extrusions for stability and shelf strength		Shock cord magnet rails for magnet-to-magnet panel registration	Fabric Panels Mural Panels	Internal Shelf
ARISE 193	★★★★	Lifetime	• high-grade 0.04" extruded aluminum frame • self-locking scissor construction • medium-weight nylon connecting hubs		Magnets connect bars to the frame for magnet-to-magnet panel registration	Fabric Panels Mural Panels	Internal Shelf

PANEL MATERIAL

SPLASH POP-UP DISPLAYS

BLOCK-OUT FABRIC
Block-out fabric keeps light from shining through your display for perfect photoshoots in well-lit areas.

POLYESTER KNIT
Dye sublimation on polyester knit produces vibrant, rich colors.

SEG POP-UP DISPLAYS

**POLYESTER KNIT**
Dye sublimation on polyester knit produces vibrant, rich colors.

PREMIUM WOVEN POLYESTER
An ideal choice for backlit displays, premium woven polyester allows light to shine through.

GEOMETRIX POP-UP DISPLAYS

POLYESTER DOUBLE KNIT
Stretches both ways to create a taut fit on GeoMetrix frames; giving you countless options for setting up a creative display.

TRADITIONAL POP-UP DISPLAYS

HOOK-AND-LOOP RECEPTIVE FABRIC
High-quality polyester fiber.

MURAL PANEL
Titan™ no-curl laminated media is rigid so it will not wrinkle or curl.

Showdown DISPLAYS