TABLE COVER COMPARISON CHART

BEST SELLERS ★		TAB	BLE S	IZES		TABLE FIT		BLE RAGE	MATERIAL	FINISHED EDGE	FR	WASH OPTIONS		PRINT OPTIONS	
RECTANGLE	4'	6'	8'	12'	16'		3-SIDED	4-SIDED					FULL-COLOR IMPRINT	FULL-COLOR FRONT ONLY	FULL-COLOR FULL-BLEED
Antimicrobial	Х	Х	Х			Drape	Х	Χ	Antimicrobial Polyester Knit	Hemmed	✓	Machine			Х
Convertible 🛨			Χ			Drape / Fitted		Χ	Polyester Poplin	Serged	✓	Machine		X	Χ
Economy 🛨	Х	Х	Χ	Χ	Χ	Drape	X		Polyester Poplin	Serged	✓	Machine		X	Χ
NEW! Eco-Wise		Х	Х			Drape	Х	Х	Biodegradable Fabric	Serged	✓	Machine			Х
Enviro Pro		Х	Х			Drape	Х	Х	Premium Eco Polyester	Serged	✓	Spot Clean			Х
Fitted	Х	Х	Х			Fitted		Х	Polyester Poplin	Serged	✓	Machine		×	Х
LazerLine ★		Х	Х			Drape	Х	Х	Polyester Poplin	Laser Cut	✓	Machine		×	Х
Outdoor Fitted		Х	Х			Fitted		Х	400 Denier Polyester	Serged	✓	Machine			Х
Premium ★		Х	Х			Drape		Х	Two-Way Stretch Fabric	Hemmed	1	Machine			Х
Stain-Resistant		Х	Х			Drape	Х	Х	Polyester Poplin	Serged	1	Machine	X		
Standard 🛨	Х	Х	Х	Х	Χ	Drape		Х	Polyester Poplin	Serged	1	Machine		X	Х
Throw Glo		Х	Х			Fitted		Χ	Premium Woven Polyester	Serged	1	Spot Clean			Х
UltraFit Classic ★	Х	Х	Х			Snug Fitted		Χ	Two-Way Stretch Fabric	Hemmed	1	Machine			Х
UltraFit Curve	Х	Х	Х			Snug Fitted	Х		Two-Way Stretch Fabric	Hemmed	1	Machine			Х
UltraFit Demo ★	Х					Snug Fitted		Х	Two-Way Stretch Fabric	Hemmed	✓	Machine			X
Value Lite		Х	Х			Drape		Х	Polyester Pongee	Serged		Disposable	X (white imprint only)		
ROUND	31.5" BAR	31.5" CAFE	3'	4'	5'		3-SIDED	4-SIDED					FULL-COLOR IMPRINT	FULL-COLOR FRONT ONLY	FULL-COLOR FULL-BLEED
Fitted Round	Х					Fitted		Х	Polyester Poplin	Serged	✓	Machine		×	Х
Round	Х	Χ	Х	Х	Χ	Drape		Х	Polyester Poplin	Serged	1	Machine			Х
UltraFit Round ★	Х					Snug Fitted		Х	Two-Way Stretch Fabric	Hemmed	1	Machine			Х
PARTIAL COVERAGE	28"	57"	125"	149"	6'								FULL-COLOR IMPRINT	FULL-COLOR FRONT ONLY	FULL-COLOR FULL-BLEED
Lateral Runner			Х	Х		Drape	Top & Pai	rtial Sides	Polyester Poplin	Serged	1	Machine		X (top only)	Х
LazerLine Runner	Х	Х				Drape	Partial Front	, Top & Back	Polyester Poplin	Laser Cut	1	Machine		Χ	X
Standard Runner ★	Х	Х				Drape	Partial Front	, Top & Back	Polyester Poplin	Serged	1	Machine		Χ	Х
UltraFit Crossover					Х	Snug Fitted	Partial -	4-Sided	Two-Way Stretch Fabric	Hemmed	1	Machine			Х
	,	N	IOTE: I	Flame-	retard	ant certified ir	compliar	nce with t	he National Fire Protecti	on Association	Standard	No. 701.	,		

28 STOCK THROW COLORS



PMS colors are for reference only and may vary slightly from actual color.

PRINT OPTIONS



- Full-Color Imprint
 Simple to complex graphics
 (see product pages for details)
 Vector art required; imprinted on front only
 Available in limited stock fabric colors only
 Min. and max. artwork size requirements apply
 Always roll your table throw for storage;
 do not fold



- Full-Color Front Only
 Simple to complex graphics
 Vector art preferred; imprinted on front only
 Available in stock fabric colors only
 Maximum artwork size requirements apply
 Large maximum imprint area for more
 graphic coverage
 Fold and store in included poly bag



- Full-Color Full-Bleed
 Simple, complex and photographic graphics
 Vector and raster art accepted
 Art is dye sublimated on white fabric only
 Full-color artwork can be printed across the
 entire throw
 No artwork size requirements
 Fold and store in included poly bag

TOP SELLER



Lightweight and durable: our most popular fabric choice.

TWO-WAY STRETCH FABRIC



Nearly opaque with a luxurious look and a high-class hemmed finish.

PREMIUM WOVEN POLYESTER



allows for a glow effect when used with lights.

POLYESTER PONGEE

THROW MEDIA



Lightweight and designed for limited use.

400 DENIER POLYESTER



The same durable, weather-resistant material we use for our tent canopies.

BIODEGRADABLE FABRIC



Biodegradable fabric made of 100% polyester treated with CiCLO Fibers.

PREMIUM ECO POLYESTER



100% recycled media is made from REPREVE fibers



Heavyweight media that inhibits the growth of bacteria and the spreading of germs.

SHOWDOWNDISPLAYS.COM · INFO@SHOWDOWNDISPLAYS.COM











RETRACTABLE BANNER COMPARISON CHART


BEST SELLERS ★								FEAT	URES		BANNER MEDIA (NOT ALL MEDIA AVAILABLE FOR ALL SIZES)	RCAT RATING	HARDWARE WARRANTY	WIND RATING
GOOD	TABLETOP	24"	31.5"	33.5"	36"	48"	TELESCOPING POLE	CHANGEABLE BANNER	ADJUSTABLE TENSION	2-SIDED OPTION		MINIMUM RETRACTIONS		
Deluxe Mini 🛨	Х										Polypropylene Media	-	6 months	
Mini Promo ★	Х										Polypropylene Media	-	6 months	
NEW! Economy ★	Х	Χ	Х	Х	X	Х					No-Curl Hybrid Media No-Curl Opaque Fabric - No-Curl Fabric PVC-Free Silver Backed Media	100	1 year	
ldeal ★			Х	Х							Polypropylene Media	25	2 months	
Value ★			Х	Х	X						Polypropylene Media • No-Curl Hybrid Media	50	6 months	
BETTER	24"	31.5"	33.5"	36"	46.5"	48"	TELESCOPING POLE	CHANGEABLE BANNER	ADJUSTABLE TENSION	2-SIDED OPTION				
Deluxe Pro ★			Х		Х		1	1		✓	No-Curl Opaque Fabric • Dry-Erase Media	200	2 years	
Economy Plus 🖈		Χ	Х				1	1			No-Curl Hybrid Media • No-Curl Opaque Fabric • Dry-Erase Media	150	2 years	
Stratus 🛨	Х	Χ	Х	Х		X	1	1			No-Curl Hybrid Media • No-Curl Opaque Fabric • Dry-Erase Media	200	2 years	
BEST	16"	31.25"	33.5"	40"	48"	60"	TELESCOPING POLE	CHANGEABLE BANNER	ADJUSTABLE TENSION	2-SIDED OPTION				
InstaChange			Х	Х	Х		1	1			No-Curl Opaque Fabric	600	2 years	
MagnaLink	Х		Х			X	1	1	1		No-Curl Fabric	800	3 years	
Spotlight 🛨		X									Flexible Backlit Film	800	3 years	
Superb			Х				1	1	1		No-Curl Hybrid Media	800	Lifetime	
SPECIALTY	31"	33.25		5'	6'	8'	TELESCOPING POLE	CHANGEABLE BANNER	ADJUSTABLE TENSION	2-SIDED OPTION				
NEW! Eco-Lite	X										Eco-Lite Media	-	30 days	
Element		Х					1			1	13 oz. Scrim Vinyl	150	1 year	3号
Jumbo Wide ★				Х	Х	X					13 oz. Scrim Smooth Vinyl • No-Curl Fabric	100	1 year	
Outdoor Trek Lite		X								1	13 oz. Scrim Vinyl	250	1 year	4=3

Beaufort Wind Rating: Select products have been rated on the Beaufort Wind Scale. See rating icon underneath the product name. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on page 211 in our 2023 Product Guide for additional details.



AMERICA'S FINEST RETRACTOR

To guarantee superior quality, we have developed an RCAT (Retractor Calibration Assessment Test) machine that assesses retractable banner components. Each retractor is tested and rated to a minimum number of times it will extend and retract with normal use, helping you find a retractor that meets your exact needs. The RCAT rating certification lets you have confidence in your retractable banner display, no matter which one you choose.







High-quality fabric that prevents curling. Silver backing makes it opaque.

DRY-ERASE MEDIA



Smooth, glossy surface that can be written or drawn on with a dry-erase marker.

BANNER MEDIA



Durable vinyl repels water and cleans easily for extended outdoor use.



Backlit film allows for light to shine through

ECO-LITE MEDIA



Cellulose-based poster paper perfect for sustainable displays.

TITAN™ NO-CURL FABRIC



Lightweight, no-glare fabric prevents curling.

TITAN™ 13 OZ. SMOOTH SCRIM VINYL



Smooth vinyl for high-quality graphics.

TITAN™ POLYPROPYLENE MEDIA



Tear-resistant matte media for temporary use.



PVC-FREE SILVER BACKED MEDIA

Made from PVCfree media and does not include toxic polymers.

 ${\bf SHOWDOWNDISPLAYS.COM\cdot INFO@SHOWDOWNDISPLAYS.COM}$











BUILD YOUR OWN BANNERS

WITH OUR QUICK & EASY ONLINE TOOL

Visit our website for accurate quotes and hassle-free ordering 24/7!

Under the Banners & Flags tab, click Build Your Own Banners.

 $\textbf{Accurate quoting} \cdot \textbf{Large Quantities} \cdot \textbf{Additional Finishing Styles} \cdot \textbf{Custom Sizes}$

BANNER MATERIAL COMPARISON CHART

BEST SELLERS ★		DURABILITY		WIND RATING	INDOOR USE	OUTDOOR USE
TITAN™ SCRIM VINYL	LIGHT	AVERAGE	HEAVY-DUTY			
10 oz.	Х			(5=3)	good	good
13 oz. ★		Х		623	better	better
13 oz. Smooth		Х		not for outdoor use	BEST	not for outdoor use
18 oz. Opaque ★			Х	623	better	BEST
9 oz. Mesh ★			Х	623	better	BEST
ECO-FRIENDLY	LIGHT	AVERAGE	HEAVY-DUTY			
9 oz. PVC-Free		Х		623	better	better
FABRIC	LIGHT	AVERAGE	HEAVY-DUTY			
Nylon		X		623	better	BEST
Polyester Poplin	Х			not for outdoor use	BEST	not for outdoor use
Super Poly Knit		Х		429	better	better
Satin	X			not for outdoor use	better	not for outdoor use

Beaufort Wind Rating: Select products have been rated on the Beaufort Wind Scale. See rating icon underneath the product name. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on page 211 in our 2023 Product Guide for additional details.

POPULAR FINISHING STYLES

Additional finishing styles available online.



HEM & GROMMETS

HEAT WELD Single-sided vinyl banners only



HEM, ROPE & GROMMETS



3" POLE POCKETS



HEM ONLY

SEWN Fabric and double-sided vinyl banners



HEM & GROMMETS



3" POLE POCKETS

BANNER MATERIAL



Woven threads that provide added strength for a stronger vinyl banner.



SMOOTH Vinyl without visible scrim texture for higherquality images.



MESH A woven vinyl pattern that features small holes so wind can pass through.



FABRIC Breathable, lightweight











SAIL SIGN COMPARISON CHART

BEST SELLERS ★	AVA	ILABLE SHA	PES AND S	IZES	MATERIAL	FEATURES	WIND RATING
GOOD	BLAD	RAZ0	TEARD (OP	RECT GLE		DOUBLE-SIDED OPTION	KAIING
	7.5'	7.5'	6.5'			• value hardware	
Value ★	10.5'	10.5'	9.5'		Super Poly Knit Block-out Polyester	 value spike or value cross base plastic-capped ends on cross base double-layer reinforcement at the end of the pole pocket for additional strength 	63
	15'	15'	13'			pole pocket is made of the same fabric as the flag	
BETTER							
	7'	7'	6'	7'		• premium hardware	
Streamline 🛖 -	9'	9'	8'	10'	Super Poly Knit	ground spike, scissor base or three-legged base rubber-tipped ends on scissor base	62
Sueamine *	13'	13'	11.5'	14.5'	Block-out Polyester	of the pole pocket for additional strength pole pocket is made of the same fabric	
	17'	17'	15'			as the flag	
BEST							
	7'	7'	6'	7'		• premium hardware	
Dromium .	9'	9'	8'	10'	Super Poly Knit	ground spike, scissor base or three-legged base rubber-tipped ends on scissor base	63
Premium ★-	13'	13'	11.5'	14.5'	Block-out Polyester	double-layer reinforcement at the end of the pole pocket for additional strength reinforced with premium elastic black	05
	17'	17'	15'			pole sleeve	
	7'	7'	6'			premium hardware	
NEW! Elite	9'	9'	8'		-	 ground spike, scissor base or three-legged base rubber-tipped ends on scissor base 	(6 ²)
INEVV: EIICE	13'	13'	11.5'		200 Denier Nylon	 double-layer reinforcement at the end of the pole pocket for additional strength reinforced with premium elastic black 	
	17'	17'	15'			pole sleeve	

Beaufort Wind Rating: Select products have been rated on the Beaufort Wind Scale. See rating icon underneath the product name. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on page 211 in our 2023 Product Guide for additional details.

HARDWARE COMPARISON CHART

	POLE CONSTRUCTION	FLAG ATTACHMENT	CARRY CASE	HARDWARE WARRANTY
Value Hardware	Channeled carbon composite overlay construction with low-gloss black paint finish. Double-reinforced carbon fiber pole segment ends.	A loop on the flag attaches to an adjustable hook on the pole.	Sold separately	90 DAY HARDWARE
Premium, Streamline and Elite Hardware	Uniform carbon composite overlay construction with high-gloss black paint finish. Polished aluminum collar pole segment ends and ergonomic, rubber-reinforced base grip.	Flag attaches to a fixed hook using a bungee cord.		HARDWARE

CUSTOMIZE WITH BASE OPTIONS

Kits include spike, cross base with water ballast, or scissor base with water ballast.

We also carry several other bases designed to work on various types of terrain.









SIGNAGE COMPARISON CHART

BEST SELLERS ★	EASY CHANGE GRAPHIC		LE- OR E-SIDED	SUBSTRATE	OUT	DOOR	WEIGHT	WIND
OUTDOOR		SINGLE	DOUBLE		LONG TERM	SHORT TERM		
Arch A-Frame	4		Х	Polyester Knit	X		3.6 lbs.	2=3
Coro A-Frame			Х	4 mm Corrugated Plastic		Х	4 lbs.	13
Corrugated Plastic Sign ★		X	Х	4 mm Corrugated Plastic	X		0.5-1.5 lbs.	3=3
NEW! Deluxe Wood A-Frame	1		X	Chalkboard		X	18-29.8 lbs.	2=
NEW! Economy Wood A-Frame	1		X	Chalkboard		X	8.5 lbs.	2=9
NEW! EuroFit Flex Sign	1		X	Polyester Knit	X		14.8-15.7 lbs.	3=3
EuroFit Swivel Sign	✓		X	Polyester Knit	X		15-17.6 lbs.	423
FrameWorx Flex	✓	X	X	Mesh Fabric		X	27.5 lbs.	3=9
Horizontal A-Frame	✓		X	Titan™ 13 oz. Scrim Vinyl	X		11-18 lbs.	2=
Magnet Promo Sign		X		Magnet Media	X		0.4-1.6 lbs.	
Opaque Window Cling		X		Window Film	X		0.02-0.45 lb.	
Outdoor Flex Sign	1		X	Titan™ 10 oz. Scrim Vinyl	X		27 lbs.	3=3
Outdoor Flex Sign with Ballast Base	✓		X	Titan™ 10 oz. Scrim Vinyl	X		26 lbs.	3=
Outdoor Surface Tac		X		High-Tack Surface Film	X		0.4-3.8 lbs.	
Parking Pal			X	Reflective Media	X		13 lbs.	43
Rover Portable Sign Post	1	X	Х	Aluminum Composite	X		11.4-18 lbs.	5=3
Signicade A-Frame ★	1		X	4 mm Corrugated Plastic	X		20 lbs.	423
Signicade Deluxe A-Frame ★	1		Х	4 mm Corrugated Plastic	X		21 lbs.	43
NEW! Signicade Deluxe Chalkboard A-Frame	1		X	Chalkboard	X		25 lbs.	43
Simpo Sign II A-Frame	1		Х	4 mm Corrugated Plastic	X		10.5 lbs.	429
Snap A-Frame	1		Х	Titan™ Polypropylene Media	X		17.2 lbs.	2=3
Storm Mat ★		X		Polyester Carpeting with Rubber Backing	X		4-10 lbs.	
Sunrise Lawn Sign	1	X	X	Super Poly Knit Fabric • Block-Out Polyester	X		2.3 lbs.	3=3
Sunrise Multisurface Sign	1	Х	Х	Super Poly Knit Fabric • Block-Out Polyester	X		13.5-14 lbs.	3=9
Superstrong Angle Iron A-Frame	1		X	4 mm Corrugated Plastic	X		6.5-13.5 lbs.	3=9
NEW! Swing A-frame	1		Х	Aluminum Composite • Chalkboard		Х	14-16.2 lbs.	2=3
Twist-Up Oval A-Frame			Х	Polyester Knit	X		8.25 lbs.	2=3
INDOOR		SINGLE	DOUBLE					
Crystal Edge Display	✓	X		Backlit Media			5-13.7 lbs.	
Flat Base Sign Display	1		X	4 mm Corrugated Plastic			13.5 lbs.	
Floor Decor		X		PVC Foam w/PVC Coated Polyester Woven Fabric			1.6-22 lbs.	
Floor Hugger Mat		X		Nylon Yarn with Rubber Backing			8-16 lbs.	
Impress A-Frame	1		X	Polyester Knit			9.4-10.8 lbs.	
Indoor Surface Grip		X		Adhesive Matte Vinyl with Fabric Backing			0.05-2.4 lbs.	
LED Light Box	1	X		Backlit Media			8.5-14 lbs.	
LiteWriter	1	Х		Backlit Media			6.2 lbs.	
Luxe Glo Sign		Х		0.060 White Polycarbonate			3-6.6 lbs.	
Standard SEG Glo Wall-Mount Display	1	Х		Premium Woven Polyester			3.7-9.3 lbs.	
Uptown A-Frame	1		X	Rigid PVC Board			15.5-24.25 lbs.	
Uptown Accent A-Frame	1		X	Rigid PVC Board			30.5 lbs.	
Value SEG Wall-Mount Display	1	X		Polyester Knit			2.5-5.25 lbs.	
Xarisma™ SEG Display	1	X	X	Polyester Knit • Premium Woven Polyester			5.4-12.6 lbs.	

Beaufort Wind Rating: Select products have been rated on the Beaufort Wind Scale. See rating icon underneath the product name. Wind ratings were determined utilizing all available securing/ stabilizing options sold with or offered for the product. Review the Beaufort Scale on page 211 in our 2023 Product Guidefor additional details.

SIGNAGE SUBSTRATES





RIGID

- 4 mm Corrugated PlasticRigid PVC Board
- Chalkboard
- Aluminum Composite 0.060 White Polycarbonate
- Titan™ Polypropylene Media - Titan™ 10 oz. Scrim Vinyl - Titan™ 13 oz. Scrim Vinyl - Titan™ 13 oz. Opaque Scrim Vinyl

BANNER

- Backlit Media



- Super Poly Knit Fabric
- Polyester Knit
- Mesh Fabric
- Premium Woven Polyester Block-Out Polyester



- PVC Foam w/PVC Coated Polyester Woven Fabric
- Nylon Yarn with
- Rubber Backing
- Polyester Carpeting with Rubber Backing



- Adhesive Matte Vinyl with Fabric Backing High-Tack Surface Film
- Adhesive Backed PVC Film
- Window Cling
- Magnet Media
- Reflective Media













TENT COMPARISON CHART

BEST SELLERS ★ - 10' IS OUR MOST POPULAR SIZE	FRAME / CANOPY WARRANTY		CONSTRUCTION	FRAME WEIGHT	TOTAL SIZE	WIND RATING	STOCK CANOPY COLORS
ECONOMY							
NEW! 10'	6 months / 1 year	STEEL 1.1875"W LEGS	0.9 mm white finish powder-coated steel plastic release button for height	41.5 lbs. 117.5"W	117.5"W x 128.75"-136.5"H x 117.5"D	5=3	dye sublimation only
NEW! 10' Plus	,		adjustments • ABS nylon joints				,
STANDARD							
10' ★	Lifetime / 1 year	STEEL 1.125"W LEGS	1 mm powder-coated steel plastic push button for height adjustments ABS nylon joints	36 lbs.	118.5"W x 127.5"-140"H x 118.5"D	5=9	
DELUXE							
6'		STEEL 1.25"W LEGS		38.5 lbs.	72"W x 109"-121.5"H x 72"D		
8' ★	1.5.11		• 1 mm powder-coated steel	44.5 lbs.	96"W x 117.5"-130"H x 96"D	(F-22)	dye sublimation only
10' ★	Lifetime / 1 year		lever for height adjustments ABS glass-filled nylon joints	48 lbs.	118.5"W x 127"-139.5"H x 118.5"D	(5≅)	\bigcirc
10' Summit				49.6 lbs.	118.5"W x 151.75"-164.25"H x 118.5"D]	dye sublimation only
PREMIUM							
10' ★		ALUMINUM 1.75" DIA. HEXAGON LEGS	0.8 mm anodized aluminum	36.5 lbs.	118"W x 126.75"-139.25"H x 118"D		
NEW! 15'	Lifetime / 1 year		lever for height adjustments	46 lbs.	175.5"W x 126.75"-139.25"H x 118.25"D	(5≅)	00000
NEW! 20' ★			ABS glass-filled nylon joints	62.75 lbs.	234.5"W x 126.75"-139.25"H x 118.25"D		
PREMIUM GABLE							
10'		Aluminum 1.75" dia. Hexagon Legs	0.8 mm anodized aluminum	37.4 lbs.	118"W x 119.25"-131.5"H x 118"D		
15'	Lifetime / 1 year		lever for height adjustments ABS glass-filled nylon joints	47.2 lbs.	175.5"W x 119.25"-131.75"H x 118.25"D	(5≅)	
20'			▼ ADO gidSS-IIIIeu fiyiofi jolifis	64 lbs.	234.5"W x 119.25"-131.75"H x 118.25"D		white only
ELITE							
10'	Lifetime / 1 year	ALUMINUM 2.125" DIA. HEXAGON LEGS	1.55 mm anodized aluminum lever for height adjustments machined aluminum joints	63 lbs.	118"W x 116.75"-128.25"H x 118"D	5=3	

Beaufort Wind Rating: Select products have been rated on the Beaufort Wind Scale. See rating icon underneath the product name. Wind ratings were determined utilizing all available securing/stabilizing ontions sold with or offered for the product. Position the Resident Calls are product name. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on page 211 in our 2023 Product Guide for additional details. Disclaimer: Wind rating conducted in a controlled environment. Outdoor products should be taken down if bad weather is likely. Wind gusts and heavy rain could reduce the wind resistance of these products.

TENT CANOPY



Constructed of durable 400 denier polyester.



Canopies covered by a 1-year warranty.



Flame retardant certified for exhibit hall use.

10' STOCK CANOPY **COLORS**



COBALT



PMS colors are for reference only and may vary slightly from actual color.

NAVY BLUE



Stock throw colors closely align with stock tent colors; excludes Blaze Orange.

TWO PRINT METHODS



Full-Color Imprint

Imprinted on peak and valance locations of your choice.*

One imprint per location (peak or valance). Only one setup fee per tent.

*Vector artwork required

Dye Sublimation

Covers the entire canopy with vibrant, full-color artwork.*

One piece per side for a continuous image from peak to valance with no seams.

*Not available on vented canopies



EMERALD

Sets up in minutes.



BLACK

Adjust tent height with the push of a button.



Crank-up canopy creates a taut, clean peak.



Secure tent to the ground with stake kit.



in soft case with wheels. *Excludes Economy tent



Easy-Glide Tent Feet for mobility.














POP-UP DISPLAYS COMPARISON CHART

	EASE OF SETUP	FRAME WARRANTY		FRAME DETAILS		PANEL Stallation	PANEL MATERIAL	ADD-ON OPTIONS SOLD SEPARATELY
Splash	***	2 years		high-grade 0.03" aluminum frame scissor construction bayonet locking system medium-weight nylon connecting hubs		Hook-and-loop fasteners	Polyester Knit Block-Out Fabric	Ultimate LED Light Kits
GeoMetrix	****	1 year		lightweight 0.03" aluminum spring-action pop-up frame		Reinforced buttonholes on panels attach to pegs on the frame's hubs	Polyester Double Knit	Ultimate LED Light Kits
Deluxe GeoMetrix	***	2 years		high-grade 0.03" aluminum frame scissor construction bayonet locking system medium-weight nylon connecting hubs rectangular extrusions for stability and shelf strength	-	Reinforced buttonholes on panels attach to pegs on the frame's hubs	Polyester Double Knit	Ultimate LED Light Kits Internal Shelf Stabilizer Feet Connector Shelf Edge Graphic Panels
Deluxe GeoMetrix Connector	**	2 years		high-grade 0.03" aluminum frame scissor construction bayonet locking system medium-weight nylon connecting hubs rectangular extrusions for stability and shelf strength	-	Reinforced buttonholes on panels attach to pegs on the frame's hubs	Polyester Double Knit	Ultimate LED Light Kits Internal Shelf Stabilizer Feet Connector Shelf
Echo	**	1 year		Ilightweight 0.03" aluminum spring-action pop-up frame	•	Individual locking channel bars for magnet-to-steel panel registration	Fabric Panels Mural Panels	Ultimate LED Light Kits (included with select kits)
Show 'N Rise	***	2 years	1	high-grade 0.03" aluminum frame scissor construction bayonet locking system medium-weight nylon connecting hubs rectangular extrusions for stability and shelf strength		Shock cord magnet rails for magnet-to-magnet panel registration	Fabric Panels Mural Panels	Internal Shelf
ARISE	***	Lifetime	7 10	high-grade 0.04" extruded aluminum frame self-locking scissor construction medium-weight nylon connecting hubs	#	Magnets connect bars to the frame for magnet-to-magnet panel registration	Fabric Panels Mural Panels	Internal Shelf

PANEL MATERIAL

TRADITIONAL POP-UP DISPLAYS



BLOCK-OUT FABRIC Block-out fabric keeps light from shining through your display for perfect photoshoots in well-lit areas.



POLYESTER KNIT Dye sublimation on polyester knit produces vibrant, rich colors.



MURAL PANEL Titan™ no-curl laminated media is rigid so it will not wrinkle or curl.

GEOMETRIX POP-UP DISPLAYS



POLYESTER DOUBLE KNIT Stretches both ways to create a taut fit on GeoMetrix frames; giving you countless options for setting up a creative display.



High-quality polyester fiber.















