

**BUILD YOUR OWN BANNER**  
CUSTOM SIZES, FINISHING & QUOTES

# BUILD YOUR OWN BANNERS

WITH OUR QUICK & EASY ONLINE TOOL

Visit our website for accurate quotes and hassle-free ordering 24/7!

Under the Banners & Flags tab, click **Build Your Own Banners**.  
Accurate quoting · Large Quantities · Additional Finishing Styles · Custom Sizes

## BANNER MATERIAL COMPARISON CHART

BEST SELLERS ★ SUSTAINABLE ◆	DURABILITY			WIND RATING	INDOOR USE	OUTDOOR USE
	LIGHT	AVERAGE	HEAVY-DUTY			
TITAN™ SCRIM VINYL						
10 oz.	X			5-20	good	good
13 oz. ★		X		6-20	better	better
13 oz. Smooth		X		not for outdoor use	BEST	not for outdoor use
18 oz. Opaque ★			X	6-20	better	BEST
9 oz. Mesh ★			X	6-20	better	BEST
PVC-FREE						
9 oz. PVC-Free ◆		X		6-20	better	better
FABRIC						
Nylon		X		6-20	better	BEST
Polyester Poplin	X			not for outdoor use	BEST	not for outdoor use
Super Poly Knit		X		4-20	better	better
Satin	X			not for outdoor use	better	not for outdoor use

3-20

**Beaufort Wind Rating:** Select products have been rated on the Beaufort Wind Scale. See rating icon underneath the product name. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on page 211 in our 2024 Product Guide for additional details.

## POPULAR FINISHING STYLES

Additional finishing styles available online.

### Heat Weld


Single-sided vinyl banners only



HEM & GROMMETS




HEM, ROPE & GROMMETS




3" POLE POCKETS

### Sewn


Fabric and double-sided vinyl banners



HEM ONLY



HEM & GROMMETS



3" POLE POCKETS


## BANNER MATERIAL



**SCRIM**  
Woven threads that provide added strength for a stronger vinyl banner.



**SMOOTH**  
Vinyl without visible scrim texture for higher-quality images.



**MESH**  
A woven vinyl pattern that features small holes so wind can pass through.



**FABRIC**  
Breathable, lightweight cloth.

# POP- UP DISPLAY COMPARISON CHART


BEST SELLERS ★ SUSTAINABLE ◆	EASE OF SETUP	FRAME WARRANTY	FRAME DETAILS		PANEL INSTALLATION	PANEL MATERIAL	ADD-ON OPTIONS <small>SOLD SEPARATELY</small>
<b>NEW!</b> Splash ★ ◆  GeoMetrix  Deluxe GeoMetrix ★  Deluxe GeoMetrix Connector  Echo  Show 'N Rise  ARISE	● ● ●	2 years		<ul style="list-style-type: none"> <li>high-grade 0.03" aluminum frame</li> <li>scissor construction</li> <li>bayonet locking system</li> <li>medium-weight nylon connecting hubs</li> </ul>	Hook-and-loop fasteners	Recycled Polyester Knit Block-Out Fabric	Ultimate LED Light Kits
	● ● ● ●	1 year		<ul style="list-style-type: none"> <li>lightweight 0.03" aluminum</li> <li>spring-action pop-up frame</li> </ul>	Reinforced buttonholes on panels attach to pegs on the frame's hubs	Polyester Double Knit	Ultimate LED Light Kits
	● ● ●	2 years		<ul style="list-style-type: none"> <li>high-grade 0.03" aluminum frame</li> <li>scissor construction</li> <li>bayonet locking system</li> <li>medium-weight nylon connecting hubs</li> <li>rectangular extrusions for stability and shelf strength</li> </ul>	Reinforced buttonholes on panels attach to pegs on the frame's hubs	Polyester Double Knit	Ultimate LED Light Kits Internal Shelf Stabilizer Feet Connector Shelf Edge Graphic Panels
	● ●	2 years		<ul style="list-style-type: none"> <li>high-grade 0.03" aluminum frame</li> <li>scissor construction</li> <li>bayonet locking system</li> <li>medium-weight nylon connecting hubs</li> <li>rectangular extrusions for stability and shelf strength</li> </ul>	Reinforced buttonholes on panels attach to pegs on the frame's hubs	Polyester Double Knit	Ultimate LED Light Kits Internal Shelf Stabilizer Feet Connector Shelf
	● ●	1 year		<ul style="list-style-type: none"> <li>lightweight 0.03" aluminum</li> <li>spring-action pop-up frame</li> </ul>	Individual locking channel bars for magnet-to-steel panel registration	Fabric Panels Mural Panels	Ultimate LED Light Kits (included with select kits)
	● ● ●	2 years		<ul style="list-style-type: none"> <li>high-grade 0.03" aluminum frame</li> <li>scissor construction</li> <li>bayonet locking system</li> <li>medium-weight nylon connecting hubs</li> <li>rectangular extrusions for stability and shelf strength</li> </ul>	Shock cord magnet rails for magnet-to-magnet panel registration	Fabric Panels Mural Panels	Internal Shelf
	● ● ● ●	Lifetime		<ul style="list-style-type: none"> <li>high-grade 0.04" extruded aluminum frame</li> <li>self-locking scissor construction</li> <li>medium-weight nylon connecting hubs</li> </ul>	Magnets connect bars to the frame for magnet-to-magnet panel registration	Fabric Panels Mural Panels	Internal Shelf

## PANEL MATERIAL


### SPLASH POP-UP DISPLAYS



**BLOCK-OUT FABRIC**  
Block-out fabric keeps light from shining through your display for perfect photoshoots in well-lit areas.




**RECYCLED POLYESTER KNIT**  
Sustainable recycled polyester knit is made with REPREEVE® fibers recycled from plastic bottles.




**MURAL PANEL**  
Titan™ no-curl laminated media is rigid so it will not wrinkle or curl.

### TRADITIONAL POP-UP DISPLAYS

### GEOMETRIX POP-UP DISPLAYS



**POLYESTER DOUBLE KNIT**  
Stretches both ways to create a taut fit on GeoMetrix frames; giving you countless options for setting up a creative display.



**HOOK-AND-LOOP-RECEPTIVE FABRIC**  
High-quality polyester fiber.



SHOWDOWNDISPLAYS.COM · INFO@SHOWDOWNDISPLAYS.COM




ASI: 87188 PPAL: 254687 SAGE: 67383 UPIC: SHOWDOWN

**Showdown**  
DISPLAYS

# RETRACTABLE BANNER COMPARISON CHART

BEST SELLERS ★ SUSTAINABLE ◆							FEATURES				BANNER MEDIA (NOT ALL MEDIA AVAILABLE FOR ALL SIZES)	RCAT RATING	HARDWARE WARRANTY	
	GOOD	TABLETOP	24"	31.5"	33.5"	36"	48"	TELESCOPING POLE	CHANGEABLE BANNER	ADJUSTABLE TENSION	2-SIDED OPTION	MINIMUM RETRACTIONS		
Deluxe Mini ★ Mini Promo ★ NEW! Dual ◆ NEW! Economy ★◆ Ideal ★ Value ★	X											Polypropylene Media	-	6 months
	X											Polypropylene Media	-	6 months
				X	X	X					✓	No-Curl Hybrid Media • No-Curl Opaque Fabric PVC-Free Silver Backed Media	100	1 year
	X	X	X	X	X	X	X					No-Curl Hybrid Media • No-Curl Opaque Fabric No-Curl Fabric (48" Only) • PVC-Free Silver Backed Media • Dry-Erase Media (Tabletop Only)	100	1 year
				X	X							Polypropylene Media	25	2 months
				X	X	X						Polypropylene Media • No-Curl Hybrid Media	50	6 months
BETTER	24"	31.5"	33.5"	36"	46.5"	48"	TELESCOPING POLE	CHANGEABLE BANNER	ADJUSTABLE TENSION	2-SIDED OPTION				
Deluxe Pro ★ Economy Plus ★ NEW! Stratus ★◆			X		X		✓	✓		✓	No-Curl Opaque Fabric • Dry-Erase Media	200	2 years	
		X	X				✓	✓			No-Curl Hybrid Media • No-Curl Opaque Fabric • Dry-Erase Media	150	2 years	
	X	X	X	X		X	✓	✓			No-Curl Hybrid Media No-Curl Opaque Fabric • Dry-Erase Media PVC-Free Silver Backed Media	200	2 years	
BEST	16"	31.25"	33.5"	40"	60"	TELESCOPING POLE	CHANGEABLE BANNER	ADJUSTABLE TENSION	2-SIDED OPTION					
InstaChange MagnaLink Spotlight ★ Superb			X	X		✓	✓			No-Curl Opaque Fabric	600	2 years		
	X		X		X	✓	✓	✓		No-Curl Fabric	800	3 years		
		X								Flexible Backlit Film	800	3 years		
			X			✓	✓	✓		No-Curl Hybrid Media	800	Lifetime		
SPECIALTY	31"	33.25"	5'	6'	8'	TELESCOPING POLE	CHANGEABLE BANNER	ADJUSTABLE TENSION	2-SIDED OPTION					
Eco-Lite ◆ Element Jumbo Wide ★ Outdoor Trek Lite	X									Paper-Based Media	-	30 days		
		X				✓			✓	13 oz. Scrim Vinyl	150	1 year		
			X	X	X					13 oz. Scrim Smooth Vinyl • No-Curl Fabric	100	1 year		
		X							✓	13 oz. Scrim Vinyl	250	1 year		



Beaufort Wind Rating: Select products have been rated on the Beaufort Wind Scale. See rating icon underneath the product name. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on page 211 in our 2024 Product Guide for additional details.

**Beaufort Wind Rating:** Select products have been rated on the Beaufort Wind Scale. See rating icon underneath the product name. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on page 211 in our 2024 Product Guide for additional details.



## AMERICA'S FINEST RETRACTOR

To guarantee superior quality, we have developed an RCAT (Retractor Calibration Assessment Test) machine that assesses retractable banner components. Each retractor is tested and rated to a minimum number of times it will extend and retract with normal use, helping you find a retractor that meets your exact needs. The RCAT rating certification lets you have confidence in your retractable banner display, no matter which one you choose.



## TOP SELLER

## BANNER MEDIA

### TITAN™ NO-CURL HYBRID MEDIA




Anti-curl properties for a taut banner.

### TITAN™ NO-CURL OPAQUE FABRIC




High-quality fabric that prevents curling. Silver backing makes it opaque.

### TITAN™ 13 OZ. SCRIM VINYL



Durable vinyl repels water and cleans easily for extended outdoor use.

### TITAN™ NO-CURL FABRIC



Lightweight, no-glare fabric prevents curling.

### PVC-FREE SILVER BACKED MEDIA



This media is an alternative to traditional vinyl as it does not contain polyvinyl (PVC).

### TITAN™ 13 OZ. SMOOTH SCRIM VINYL



Smooth vinyl material, ideal for high-quality graphics.




### DRY-ERASE MEDIA

Smooth, glossy surface that can be written or drawn on with a dry-erase marker.



### TITAN™ POLYPROPYLENE MEDIA

Tear-resistant matte media for temporary use.



### BACKLIT FILM

Backlit film allows for light to shine through your artwork.



### PAPER-BASED MEDIA

Cellulose-based poster paper perfect for sustainable displays.

SHOWDOWNDISPLAYS.COM · INFO@SHOWDOWNDISPLAYS.COM




ASI: 87188 PPAL: 254687 SAGE: 67383 UPIC: SHOWDOWN






Showdown  
DISPLAYS

# SAIL SIGN COMPARISON CHART

BEST SELLERS ★	AVAILABLE SHAPES AND SIZES				MATERIAL	FEATURES	WIND RATING
	BLADE	RAZOR	TEARDROP	RECTANGLE			
Value ★	7.5'	7.5'	6.5'		Super Poly Knit Block-out Polyester	<ul style="list-style-type: none"> <li>• value hardware</li> <li>• value spike or value cross base</li> <li>• plastic-capped ends on cross base</li> <li>• double-layer reinforcement at the end of the pole pocket for additional strength</li> <li>• pole pocket is made of the same fabric as the flag</li> </ul>	6-20
	10.5'	10.5'	9.5'				
	15'	15'	13'				
BETTER							
Streamline ★	7'	7'	6'	7'	Super Poly Knit Block-out Polyester	<ul style="list-style-type: none"> <li>• premium hardware</li> <li>• ground spike, scissor base or three-legged base</li> <li>• rubber-tipped ends on scissor base</li> <li>• double-layer reinforcement at the end of the pole pocket for additional strength</li> <li>• pole pocket is made of the same fabric as the flag</li> </ul>	6-20
	9'	9'	8'	10'			
	13'	13'	11.5'	14.5'			
	17'	17'	15'				
BEST							
Premium ★	7'	7'	6'	7'	Super Poly Knit Block-out Polyester	<ul style="list-style-type: none"> <li>• premium hardware</li> <li>• ground spike, scissor base or three-legged base</li> <li>• rubber-tipped ends on scissor base</li> <li>• double-layer reinforcement at the end of the pole pocket for additional strength</li> <li>• reinforced with premium elastic black pole sleeve</li> </ul>	6-20
	9'	9'	8'	10'			
	13'	13'	11.5'	14.5'			
	17'	17'	15'				
Elite	7'	7'	6'		200 Denier Nylon	<ul style="list-style-type: none"> <li>• premium hardware</li> <li>• ground spike, scissor base or three-legged base</li> <li>• rubber-tipped ends on scissor base</li> <li>• double-layer reinforcement at the end of the pole pocket for additional strength</li> <li>• reinforced with premium elastic black pole sleeve</li> </ul>	6-20
	9'	9'	8'				
	13'	13'	11.5'				
	17'	17'	15'				

 **Beaufort Wind Rating:** Select products have been rated on the Beaufort Wind Scale. See rating icon underneath the product name. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on page 211 in our 2024 Product Guide for additional details.

## SAIL SIGN HARDWARE COMPARISON CHART

	POLE CONSTRUCTION	FLAG ATTACHMENT	CARRY CASE	HARDWARE WARRANTY
Value Hardware	 <p>Channelled carbon composite overlay construction with low-gloss black paint finish.</p> <p>Double-reinforced carbon fiber pole segment ends.</p>	 <p>A loop on the flag attaches to an adjustable hook on the pole.</p>	Sold separately (see page 85)	90 DAY HARDWARE
Premium, Streamline and Elite Hardware	 <p>Uniform carbon composite overlay construction with high-gloss black paint finish.</p> <p>Polished aluminum collar pole segment ends and ergonomic, rubber-reinforced base grip.</p>	 <p>Flag attaches to a fixed hook using a bungee cord.</p>		LIFE HARDWARE

## CUSTOMIZE WITH BASE OPTIONS

Kits include spike, cross base with water ballast, or scissor base with water ballast.

Select double-sided spike kits include the Ground Anchor spike. We also carry several other bases designed to work on various types of terrain.



SHOWDOWNDISPLAYS.COM · INFO@SHOWDOWNDISPLAYS.COM




ASI: 87188 PPAI: 254687 SAGE: 67383 UPIC: SHOWDOWN

Showdown<sup>®</sup>  
DISPLAYS

# SIGNAGE COMPARISON CHART


BEST SELLERS ★ SUSTAINABLE ◆		EASY CHANGE GRAPHIC	SINGLE- OR DOUBLE-SIDED		SUBSTRATE	OUTDOOR		WIND RATING	WEIGHT
			SINGLE	DOUBLE		LONG TERM	SHORT TERM		
OUTDOOR	NEW! Arch A-Frame ◆	✓		X	Recycled Polyester Knit	X		2-3	3.6 lbs.
	Coro A-Frame ◆			X	4 mm Corrugated Plastic		X	1-2	4 lbs.
	Corrugated Plastic Sign ★ ◆		X	X	4 mm Corrugated Plastic	X		3-2	0.5-1.5 lbs.
	Deluxe Wood A-Frame	✓		X	Chalkboard		X	2-2	18-29.8 lbs.
	Economy Wood A-Frame	✓		X	Chalkboard		X	2-2	8.5 lbs.
	NEW! EuroFit Flex Sign ◆	✓		X	Recycled Polyester Knit	X		3-2	14.8-15.7 lbs.
	NEW! EuroFit Swivel Sign ◆	✓		X	Recycled Polyester Knit	X		4-2	15-17.6 lbs.
	FrameWorx Flex	✓	X	X	Mesh Fabric		X	3-2	27.5 lbs.
	Horizontal A-Frame	✓		X	Titan™ 13 oz. Scrim Vinyl	X		2-2	11-18 lbs.
	Magnet Promo Sign		X		Magnet Media	X			0.4-1.6 lbs.
	Opaque Window Cling		X		Window Film	X			0.02-0.45 lb.
	Outdoor Flex Sign	✓		X	Titan™ 10 oz. Scrim Vinyl	X		3-2	27 lbs.
	Outdoor Flex Sign with Ballast Base	✓		X	Titan™ 10 oz. Scrim Vinyl	X		3-2	26 lbs.
	Outdoor Surface Tac		X		High-Tack Surface Film	X			0.4-3.8 lbs.
	Parking Pal			X	Reflective Media	X		4-2	13 lbs.
	Rover Portable Sign Post	✓	X	X	Aluminum Composite	X		5-2	11.4-18 lbs.
	Signicade A-Frame ★	✓		X	4 mm Corrugated Plastic	X		4-2	20 lbs.
	Signicade Deluxe A-Frame ★	✓		X	4 mm Corrugated Plastic • Chalkboard	X		4-2	21 -25 lbs.
	Simpo Sign II A-Frame	✓		X	4 mm Corrugated Plastic	X		4-2	10.5 lbs.
	Storm Mat ★		X		Polyester Carpeting with Rubber Backing	X			4-10 lbs.
	Sunrise Lawn Sign	✓	X	X	Super Poly Knit Fabric • Block-Out Polyester	X		3-2	2.3 lbs.
	Sunrise Multisurface Sign	✓	X	X	Super Poly Knit Fabric • Block-Out Polyester	X		3-2	13.5-14 lbs.
	Superstrong Angle Iron A-Frame	✓		X	4 mm Corrugated Plastic	X		3-2	6.5-13.5 lbs.
	Swing A-frame	✓		X	Aluminum Composite • Chalkboard		X	2-2	14-16.2 lbs.
	NEW! Twist-Up Oval A-Frame ◆			X	Recycled Polyester Knit	X		2-2	8.25 lbs.
	NEW! Wayfinding Sign			X	Aluminum Composite	X		6-2	1.2 lbs.
INDOOR			SINGLE	DOUBLE					
	NEW! Aerial SEG ◆	✓		X	Recycled Polyester Knit				4.4-7.6 lbs.
	NEW! Aerial Glo SEG	✓		X	Backlit Woven Polyester				5-10.2 lbs.
	Crystal Edge Display	✓	X		Titan™ Backlit Media				5-13.7 lbs.
	Flat Base Sign Display	✓		X	4 mm Corrugated Plastic				13.5 lbs.
	Floor Decor		X		PVC Foam w/PVC Coated Polyester Woven Fabric				1.6-22 lbs.
	NEW! Floor Hugger Mat		X		Nylon Yarn with Rubber Backing				8-16 lbs.
	NEW! Galleria A-Frame ◆	✓		X	Recycled Polyester Knit				6.8 lbs.
	NEW! Impress A-Frame ◆	✓		X	Recycled Polyester Knit				9.4-10.8 lbs.
	NEW! Impress Lite A-Frame ◆	✓		X	Recycled Polyester Knit				11 lbs.
	Indoor Surface Grip		X		Adhesive Matte Vinyl with Fabric Backing				0.05-2.4 lbs.
	LED Light Box	✓	X		Titan™ Backlit Media				8.5-14 lbs.
	Luxe Glo Sign		X		0.060 White Polycarbonate				3-6.6 lbs.
	NEW! Standard Glo Wall-Mount SEG	✓	X		Backlit Woven Polyester				2.8-12.4 lbs.
	NEW! Tower Trio ◆			X	4 mm Corrugated Plastic				6-8 lbs.
	Uptown A-Frame	✓		X	Rigid PVC Board				15.5-24.25 lbs.
	Uptown Accent A-Frame	✓		X	Rigid PVC Board				30.5 lbs.
	NEW! Value Wall-Mount SEG ◆	✓	X		Recycled Polyester Knit				2.2-6 lbs.
	NEW! Wayfinding Sign Post	✓		X	Aluminum Composite				13.6-15.2 lbs.
<div>3-2</div> <b>Beaufort Wind Rating:</b> Select products have been rated on the Beaufort Wind Scale. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on page 211 in our 2024 Product Guide for additional details.									

## SIGNAGE SUBSTRATES



### RIGID

- 4 mm Corrugated Plastic
- Rigid PVC Board
- Chalkboard
- Aluminum Composite
- 0.060 White Polycarbonate



### BANNER

- Titan™ 10 oz. Scrim Vinyl
- Titan™ 13 oz. Scrim Vinyl
- Titan™ Backlit Media




### FABRIC

- Super Poly Knit Fabric
- Recycled Polyester Knit
- Mesh Fabric
- Backlit Woven Polyester
- Block-Out Polyester



### MAT

- PVC Foam w/PVC Coated Polyester Woven Fabric
- Nylon Yarn with Rubber Backing
- Polyester Carpeting with Rubber Backing



### DECAL

- Adhesive Matte Vinyl with Fabric Backing
- High-Tack Surface Film
- Window Cling
- Magnet Media
- Reflective Media


SHOWDOWNDISPLAYS.COM · INFO@SHOWDOWNDISPLAYS.COM



ASI: 87188 PPAL: 254687 SAGE: 67383 UPIC: SHOWDOWN

Showdown  
DISPLAYS

# TABLE COVER COMPARISON CHART

BEST SELLERS ★ SUSTAINABLE ◆		TABLE SIZES					TABLE FIT	TABLE COVERAGE		MATERIAL	FINISHED EDGE	FR 	WASH OPTIONS	PRINT OPTIONS		
		RECTANGLE	4'	6'	8'	12'		16'	3-SIDED					4-SIDED	FULL-COLOR IMPRINT	FULL-COLOR FRONT ONLY
NEW! Enviro Pro ◆	Antimicrobial	X	X	X			Drape	X	X	Antimicrobial Polyester Knit	Hemmed	✓	Machine			X
	Convertible ★			X			Drape / Fitted		X	Polyester Poplin	Serged	✓	Machine		X	X
	Economy ★	X	X	X	X	X	Drape	X		Polyester Poplin	Serged	✓	Machine		X	X
	Eco-Wise ◆		X	X			Drape	X	X	Biodegradable Fabric	Serged	✓	Machine			X
	Enviro Pro		X	X			Drape	X	X	Recycled Polyester Knit	Serged	✓	Machine			X
	Fitted	X	X	X			Fitted		X	Polyester Poplin	Serged	✓	Machine		X	X
	LazerLine ★		X	X			Drape	X	X	Polyester Poplin	Laser Cut	✓	Machine		X	X
	Outdoor Fitted		X	X			Fitted		X	600 Denier Polyester	Serged	✓	Machine			X
	Premium ★		X	X			Drape		X	Two-Way Stretch Fabric	Hemmed	✓	Machine			X
	Stain-Resistant		X	X			Drape	X	X	Polyester Poplin	Serged	✓	Machine	X		
	Standard ★	X	X	X	X	X	Drape		X	Polyester Poplin	Serged	✓	Machine		X	X
	UltraFit Classic ★	X	X	X			Snug Fitted		X	Two-Way Stretch Fabric	Hemmed	✓	Machine			X
	UltraFit Curve	X	X	X			Snug Fitted	X		Two-Way Stretch Fabric	Hemmed	✓	Machine			X
	UltraFit Demo ★	X					Snug Fitted		X	Two-Way Stretch Fabric	Hemmed	✓	Machine			X
Value Lite		X	X			Drape		X	Polyester Pongee	Serged		Disposable	X <small>(white imprint only)</small>			
ROUND		31.5" BAR	31.5" CAFE	3'	4'	5'		3-SIDED	4-SIDED					FULL-COLOR IMPRINT	FULL-COLOR FRONT ONLY	FULL-COLOR FULL-BLEED
UltraFit Round ★	Fitted Round	X					Fitted		X	Polyester Poplin	Serged	✓	Machine		X	X
	Round	X	X	X	X	X	Drape		X	Polyester Poplin	Serged	✓	Machine			X
	UltraFit Round	X					Snug Fitted		X	Two-Way Stretch Fabric	Hemmed	✓	Machine			X
PARTIAL COVERAGE		28"	57"	125"	149"	6'								FULL-COLOR IMPRINT	FULL-COLOR FRONT ONLY	FULL-COLOR FULL-BLEED
UltraFit Crossover	Lateral Runner			X	X		Drape	Top & Partial Sides		Polyester Poplin	Serged	✓	Machine		X <small>(top only)</small>	X
	LazerLine Runner	X	X				Drape	Partial Front, Top & Back		Polyester Poplin	Laser Cut	✓	Machine		X	X
	Standard Runner ★	X	X				Drape	Partial Front, Top & Back		Polyester Poplin	Serged	✓	Machine		X	X
	UltraFit Crossover					X	Snug Fitted	Partial 4-Sided		Two-Way Stretch Fabric	Hemmed	✓	Machine			X
NOTE: Flame-retardant certified in compliance with the National Fire Protection Association Standard No. 701.																

NOTE: Flame-retardant certified in compliance with the National Fire Protection Association Standard No. 701.

## 28 STOCK THROW COLORS



★ indicates stock throw colors that closely align with our stock tent canopy colors.

<b>LEMON</b> ★ PMS 109	<b>RED</b> PMS 201	<b>PURPLE</b> PMS VIOLET	<b>LIME GREEN</b> PMS 375
<b>YELLOW</b> PMS 1235	<b>BURGUNDY</b> PMS 504	<b>AQUAMARINE</b> PMS 2231	<b>EMERALD</b> ★ PMS 347
<b>MANGO</b> PMS 1375	<b>FLAMINGO</b> PMS 1767	<b>COBALT</b> ★ PMS 7683	<b>SHAMROCK</b> PMS 361
<b>ORANGE</b> PMS 1505	<b>HOT PINK</b> PMS 219	<b>BLUEBERRY</b> PMS 647	<b>HUNTER GREEN</b> PMS 350
<b>PEACH</b> PMS 162	<b>MULBERRY</b> PMS 683	<b>ROYAL BLUE</b> PMS 661	<b>HAZELNUT</b> PMS 7575
<b>CHERRY</b> ★ PMS 1795	<b>GRAPE</b> PMS 268	<b>NAVY BLUE</b> ★ PMS 2767	<b>BROWN</b> PMS 476
			<b>BLACK</b> ★

PMS colors are for reference only and may vary slightly from actual color.

## PRINT OPTIONS



### Full-Color Imprint

- Simple to complex graphics (see product pages for details)
- Vector art required; imprinted on front only
- Available in limited stock fabric colors only
- Min. and max. artwork size requirements apply
- Always roll your table throw for storage; do not fold



### Full-Color Front Only

- Simple to complex graphics
- Vector and raster art accepted; imprinted on front only
- Available in stock fabric colors only
- Maximum artwork size requirements apply
- Large maximum imprint area for more graphic coverage
- Fold and store in included poly bag



### Full-Color Full-Bleed

- Simple, complex and photographic graphics
- Vector and raster art accepted
- Art is dye sublimated on white fabric only
- Full-color artwork can be printed across the entire throw
- No artwork size requirements
- Fold and store in included poly bag

## TOP SELLER

### POLYESTER POPLIN



Lightweight and durable; our most popular fabric choice.

### TWO-WAY STRETCH FABRIC




Nearly opaque with a luxurious look and a high-class hemmed finish.

### POLYESTER PONGEE




Lightweight and designed for limited use.

### 600 DENIER POLYESTER




The same durable, weather-resistant material we use for our tent canopies.

### BIODEGRADABLE FABRIC




Biodegradable fabric is made with CiCLO® technology.

### RECYCLED POLYESTER KNIT



100% recycled media is made from REPREEV® fibers.

### ANTIMICROBIAL POLYESTER KNIT



Heavyweight media that inhibits the growth of bacteria and the spreading of germs.

SHOWDOWNDISPLAYS.COM · INFO@SHOWDOWNDISPLAYS.COM




ASI: 87188 PPAL: 254687 SAGE: 67383 UPIC: SHOWDOWN


**Showdown**  
DISPLAYS


# TENT COMPARISON CHART


BEST SELLERS ★ - 10' IS OUR MOST POPULAR SIZE	FRAME / CANOPY WARRANTY	CONSTRUCTION		WIND RATING	FRAME WEIGHT	TOTAL SIZE	PRINT METHOD
ECONOMY	(FRAME / 600 DENIER / UV-PRINTED)						STOCK CANOPY COLORS
NEW! 5' & 5' Plus 10' & 10' Plus	6 months / 1 year		<ul style="list-style-type: none"> <li>1.1875"W steel square legs</li> <li>0.9 mm white finish powder-coated steel</li> <li>plastic release button for height adjustments</li> <li>ABS nylon joints</li> </ul>		32 lbs.	57.875"W x 116.875"-124.625"H x 57.875"D	Dye Sublimation
					41.5 lbs.	117.5"W x 128.75"-136.5"H x 117.5"D	
STANDARD							
NEW! 10' ★ NEW! 10' Wall Kit	Lifetime / 1 year / 3 year		<ul style="list-style-type: none"> <li>1.125"W steel square legs</li> <li>1 mm powder-coated steel</li> <li>plastic push button for height adjustments</li> <li>ABS nylon joints</li> </ul>		36 lbs.	118.5"W x 127.5"-140"H x 118.5"D	Full-Color Imprint • Dye Sublimation UV-print 
							Dye Sublimation
DELUXE							
6' 8' ★ NEW! 10' ★	Lifetime / 1 year / 3 year		<ul style="list-style-type: none"> <li>1.25"W steel square legs</li> <li>1 mm powder-coated steel</li> <li>lever for height adjustments</li> <li>ABS glass-filled nylon joints</li> </ul>		38.5 lbs.	72"W x 109"-121.5"H x 72"D	Dye Sublimation
					44.5 lbs.	96"W x 117.5"-130"H x 96"D	
					48 lbs.	118.5"W x 127"-139.5"H x 118.5"D	Full-Color Imprint • Dye Sublimation UV-print 
OMNI							
NEW! 10'	Lifetime / 1 year		<ul style="list-style-type: none"> <li>1.25"W diameter aluminum octagon legs</li> <li>0.8 mm anodized aluminum frame</li> <li>1 mm powder-coated steel truss</li> <li>lever for height adjustments</li> <li>ABS glass-filled nylon joints</li> </ul>		41.2 lbs.	119.5"W x 115.25"-126.875"H x 119.5"D	Full-Color Imprint • Dye Sublimation UV-print 
PREMIUM							
NEW! 10' ★ NEW! 10' Wall Kit 15' 20' ★	Lifetime / 1 year / 3 year		<ul style="list-style-type: none"> <li>1.75"W diameter aluminum hexagon legs</li> <li>0.8 mm anodized aluminum</li> <li>lever for height adjustments</li> <li>ABS glass-filled nylon joints</li> </ul>		36.5 lbs.	118"W x 126.75"-139.25"H x 118"D	Full-Color Imprint • Dye Sublimation UV-print 
					46 lbs.	175.5"W x 126.75"-139.25"H x 118.25"D	Dye Sublimation
					62.75 lbs.	234.5"W x 126.75"-139.25"H x 118.25"D	Full-Color Imprint • Dye Sublimation UV-print 
PREMIUM GABLE							
10' 15' 20'	Lifetime / 1 year		<ul style="list-style-type: none"> <li>1.75"W diameter aluminum hexagon legs</li> <li>0.8 mm anodized aluminum</li> <li>lever for height adjustments</li> <li>ABS glass-filled nylon joints</li> </ul>		37.4 lbs.	118"W x 119.25"-131.5"H x 118"D	Full-Color Imprint • Dye Sublimation UV-print 
					47.2 lbs.	175.5"W x 119.25"-131.75"H x 118.25"D	Full-Color Imprint • Dye Sublimation UV-print 
					64 lbs.	234.5"W x 119.25"-131.75"H x 118.25"D	
ELITE							
10'	Lifetime / 1 year / 3 year		<ul style="list-style-type: none"> <li>2.125"W diameter aluminum hexagon legs</li> <li>1.55 mm anodized aluminum</li> <li>lever for height adjustments</li> <li>machined aluminum joints</li> </ul>		63 lbs.	118"W x 116.75"-128.25"H x 118"D	Full-Color Imprint • Dye Sublimation UV-print 


 **Beaufort Wind Rating:** Select products have been rated on the Beaufort Wind Scale. See rating icon underneath the product name. Wind ratings were determined utilizing all available securing/stabilizing options sold with or offered for the product. Review the Beaufort Scale on page 211 in our 2024 Product Guide for additional details.  
**Disclaimer:** Wind rating conducted in a controlled environment. Outdoor products should be taken down if bad weather is likely. Wind gusts and heavy rain could reduce the wind resistance of these products.

 Full-color imprint and dye sublimated canopies have a one-year warranty.


 UV-printed canopies have a three-year warranty.

 Constructed of durable 600 denier polyester.

 Flame retardant certified for exhibit hall use.

 Stock throw colors closely align with stock tent colors; excludes Blaze Orange.

## 10' CANOPY STOCK COLORS



PMS colors are for reference only and may vary slightly from actual color.

SHOWDOWNDISPLAYS.COM • INFO@SHOWDOWNDISPLAYS.COM



ASI: 87188 PPAL: 254687 SAGE: 67383 UPIC: SHOWDOWN

**Showdown**  
DISPLAYS