

# BUYER'S GUIDE TO FLOOR DISPLAYS

*Also Known As: Backdrops · Pop-Up Displays · Trade Show Booths  
Exhibit Displays · Portable Displays · Fabric Displays*



**CORE FITNESS  
HEALTH STUDIOS**

Pool with aqua classes & swimming lessons  
Racquetball & squash courts  
Nationally certified personal trainers  
Complimentary childcare  
Massage services  
Complimentary lockers, towels, and robes

**EASY  
AS 1-2-3!**

1. What size is your space?
2. How will your display be transported?
3. Will you be changing out your message and look frequently?



**SHOWDOWNDISPLAYS.COM**

ASI: 87188 PPAI: 254687 SAGE: 67383 UPIC: SHOWDOWN

**Showdown**  
DISPLAYS



Your artwork will be dye sublimated on polyester double knit.

## GOOD GeoMetrix

(See page 242 in our 2026 Product Guide)



Lightweight aluminum spring-action pop-up frame.



Graphic panels feature reinforced buttonholes that attach to pins on the frame's hubs.



Hardware is covered by a 1-year warranty.



Your artwork will be dye sublimated on recycled polyester knit.

## BETTER EuroFit

(See pages 232-233 in our 2026 Product Guide)



Durable aluminum frame with push-button connectors and labeled joints.



Double-sided graphic cover slides over the frame like a pillowcase.



Hardware is covered by a 1-year warranty.



Your artwork will be dye sublimated on recycled polyester knit or block-out fabric on select displays.

## BEST Splash

(See pages 246-247 in our 2026 Product Guide)



High-grade aluminum frame with scissor construction and bayonet locking system.



Hook-and-loop fasteners make graphic panel installation simple.



Hardware is covered by a 2-year warranty.

## VERSATILE LAYOUT



Fabric panels give you countless options for setting up a creative display.

## MODULAR SYSTEM



EuroFit systems are infinitely expandable. Using the EuroFit Connector, individual displays can be hinged together for unique layouts. US Patent #9637963

## BUILT TO LAST



Splash frame is designed for stability, with durable rectangular extrusions and a solid, sturdy footprint. US Patent #9214104