

# BUYER'S GUIDE TO FLOOR DISPLAYS

Also Known As: Backdrops • Pop-Up Displays • Trade Show Booths  
Exhibit Displays • Portable Displays • Fabric Displays

## EASY AS 1-2-3!

1. What is the size of your space?
2. How will this display be transported?
3. Will you be changing out your message and look frequently?



Visit [showdowndisplays.com](http://showdowndisplays.com) for more information.


ASI: 87188 PPAL: 254687 SAGE: 67383 UPIC: SHOWDOWN

**Showdown**  
DISPLAYS


# BUYER'S GUIDE TO FLOOR DISPLAYS

Also Known As: Backdrops • Pop-Up Displays • Trade Show Booths • Exhibit Displays • Portable Displays • Fabric Displays

Your artwork will be dye sublimated on polyester double knit.



Your artwork will be dye sublimated on polyester knit.



Graphic panels available in polyester knit or block-out fabric.



## GOOD

### GeoMetrix

(See page 162-163 in our 2019 Product Guide.)



Lightweight 0.03" aluminum spring-action pop-up frame



Graphic panels feature reinforced buttonholes that attach to pins on the frame's hubs

**1 YEAR**  
HARDWARE  
WARRANTY

Hardware is covered by a one-year warranty

## BETTER

### EuroFit

(See page 140-149 in our 2019 Product Guide.)



Durable 0.04" aluminum frame with push-button connectors and labeled joints



Double-sided graphic cover slides over the frame like a pillowcase

**1 YEAR**  
HARDWARE  
WARRANTY

Hardware is covered by a one-year warranty

## BEST

### Splash

(See page 158-159 in our 2019 Product Guide.)



High-grade 0.03" aluminum frame with scissor construction and bayonet locking system



Hook-and-loop fasteners make graphic panel installation simple

**2 YEAR**  
HARDWARE  
WARRANTY

Hardware is covered by a two-year warranty

### VERSATILE LAYOUT



Fabric panels give you countless options for setting up a creative display.

### MODULAR SYSTEM



EuroFit systems are infinitely expandable. Using the EuroFit Connector, individual displays can be hinged together for unique layouts.

### BUILT TO LAST



Splash frame is designed for stability, with durable rectangular extrusions and a solid, sturdy footprint. US Patent #9214104